

DECO I GREY

Decorative accent lighting in IP65 rating suitable for indoor or outdoor environments such as walls, decks, building frontages, etc. Housing of aluminium, powder coated with sand blasted finish. Connects to constant current converter for 350mA. Drivers ordered separately and are available with or without dimming possibility.

DESCRIPTION

GTIN:	7392971124087
Item Name:	Deco I Grey
Warranty:	5 years

LIGHT TECHNICAL DATA

Max. Luminaire Lumen (lm):	8
Light Source:	LED
Light Source Included:	Yes
LED Colour:	Warm White
Colour Temperature (K):	3000
Colour Rendering Index (Ra):	>80
Colour Consistency (SDCM):	3
Light sharing:	Symmetric
Light Outlet:	Indirect
Number of Lamps (pcs):	1
Number of LED (pcs):	1
Life Time:	h Ta °C
Nominal Life Time (h):	30000

TECHNICAL DATA

Max. Power Luminaire (W):	1,2
Max. Efficiency Luminaire (lm/W):	8

OPERATION AND CONNECTION




Dimmable:	Yes
Driver Included:	No
Driver Model:	Constant Current
Connection (type):	Mini Contact
Length Connection (cm):	200
Constant Current (mA):	350
Min. Ta (°C):	-25
Max. Ta (°C):	40

COLOR AND MATERIAL

Material:	Aluminium
Color:	Grey


MEASUREMENT AND INSTALLATION

Operating Environment:	Indoor / wet locations, Outdoor
IP Degree of Protection:	65
Protection Class:	III
Installation:	Built-in
Mounting Installation:	Tension Spring
Fire Safety Marks:	Not in insulation without protection cover
Approval Marks:	CE
Height (mm):	30
Diameter (mm):	35
Weight (kg):	0,3
Min. Built-in (mm):	Ø21x25
Height Recessed Part (mm):	20
Height Exterior Part (mm):	10
Built-in Ø (mm):	21mm





(mm)



(mm)

